

EPA797Hu61 200µg

Eukaryotic Angiotensinogen (AGT)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Eukaryotic expression

Host: 293F Cell

Residues: Asp34~Ala485

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 5% Trehalose .

Original Concentration: 450µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.6

Predicted Molecular Mass: 51.4kDa

Accurate Molecular Mass: 50kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

			DRVYIHP	FHLVIHNEST
CEQLAKANAG	KPKDPTFIPA	PIQAKTSPVD	EKALQDQLVL	VAAKLDTEDK
LRAAMVGMLA	NFLGFRIYGM	HSELWGVVHG	ATVLSPTAVE	GTLASLYLGA
LDHTADRLQA	ILGVPWKDKN	CTSRLDAHKV	LSALQAVQGL	LVAQGRADSQ
AQLLLSTVVG	VFTAPGLHLK	QPFVQGLALY	TPVVLPRSLD	FTELDVAAEK
IDRFMQAVTG	WKTGCSLMGA	SVDSTLAFNT	YVHFQGKMKG	FSLLAEPQEF
WVDNSTSVSV	PMLSGMGTFQ	HWSDIQDNFS	VTQVPFTESA	CLLLIQPHYA
SDLDKVEGLT	FQQNSLNWMK	KLSPRTIHLT	MPQLVLQGSY	DLQDLLAQAE
LPAILHTELN	LQKLSNDRIR	VGEVLNSIFF	ELEADEREPT	ESTQQLNKPE
VLEVTLNRPF	LFAVYDQSAT	ALHFLGRVAN	PLSTA	

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.