

EPB663Ra61 100µg

**Eukaryotic Lymphocyte Activation Gene 3 (LAG3)** 

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



# [PROPERTIES]

Source: Eukaryotic expression

Host: 293F cell

Residues: Gly24~Leu442

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted

**Purity:** > 95%

Traits: Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 47.3kDa

**Accurate Molecular Mass:** 55kDa as determined by SDS-PAGE reducing conditions.

#### Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

- 1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
- 2. Relative charge: The composition of amino acids may affects the charge of the protein.
- 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
- 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
- 5. Polymerization of the target protein: Dimerization, multimerization etc.

### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

# [STORAGE AND STABILITY]



Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [SEQUENCE]

```
GPGKELS VVWAQEGAPV HLPCSLEFPH
LDPNFLRRGW VTWQHRPDSD QPASIPALDL LQGMPSTRRH PPHRYTVLSV
APGGLRSGRQ PLLSHVQLEK RGPQRGDFSL WLRPATRKDA GEYHAFVRLP
DRDFSCSLRL RVGQASMIAS PPGTLKPSDW VILNCSFSRP DRPVSVHWFQ
GQSRVPVHNS PRHYLAESFL LLPQVSPLDS GTWGCVLTYR DGFNVSITYN
LKVQGLEPVA PLTVYAAEGS RVELPCHLPP VVGTPSLLIA KWTPPGGGPE
LPVTGKSGNF TLQLENVGRA QAGTYTCSIH LQGRQLSAAV TLAVITVTPK
SFGLPGSPQK LLCEVVPASG EGRFVWRPLS DLSRSSLGPV LELQEAKLLA
EQWQCQLYEG QKLLGATVYT AESSSGAWSA KRISGDLKGG HL
```

## [ IDENTIFICATION ]




Figure. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was



used in clinical diagnostic or any other procedures.