



#### P93994Ra01 100µg Glutathione Peroxidase 5 (GPX5) Organism: Rattus norvegicus (Rat) *Instruction manual*

#### FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

## [PROPERTIES]

Residues: Thr22~Ile221 (Accession # P30710),	kDa 94
with N-terminal His-Tag.	66.2 45
Host: E. coli	
Subcellular Location: Secreted.	33
	26
<b>Purity:</b> >95%	
Endotoxin Level: <1.0EU per 1µg	20
(determined by the LAL method).	
Formulation: Supplied as lyophilized form in PBS,	14.4
pH7.4, containing 5% sucrose, 0.01% sarcosyl.	
Predicted isoelectric point: 8.8	15% SDS-PAGE
Predicted Molecular Mass: 24.5kDa	
Applications: SDS-PAGE; WB; ELISA; IP.	

(May be suitable for use in other assays to be determined by the end user.)

## [USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.

Unique product Superb quality Client favorite Nicest service @ ISO9001:2008; @ ISO13485:2003;  $\zeta \in$ 





### [STORAGE AND STABILITY]

#### Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

# [<u>SEQUENCES</u>]

The target protein is fused with N-terminal His-Tag, its sequence is listed below. MGHHHHHHSGSEF- TPRLEKMKM DCYKDVKGTI YNYEALSLNG KERIPFKQYA GKHVLFVNVA TYCGLTIQYP ELNALQDDLK QFGLVILGFP CNQFGKQEPG DNTEILPGLK YVRPGKGFLP NFQLFAKGDV NGEKEQEIFT FLKRSCPHPS ETVVTSKHTF WEPIKVHDIR WNFEKFLVGP NGVPVMRWFH QAPVSTVKSD ILAYLNQFKT I

Unique product Superb quality Client favorite Nicest service @ ISO9001:2008; @ ISO13485:2003;  $\in$