

MAA710Hu23

Monoclonal Antibody to Prothrombin Fragment 1+2 (F1+2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

Source: Monoclonal antibody preparation

Host: Mouse

Antibody isotype: IgG2b Kappa

**Purification:** Protein A + Protein G affinity chromatography

Clone number: D1

Traits: Liquid

Concentration: 1mg/ml

**UOM:** 100µl

Cross Reactivity: Rat; Porcine

Applications: WB; IHC; ICC/IF

### [ IMMUNOGEN ]

Immunogen: Recombinant F1+2 (Ala44~Arg327) expressed in E.coli

Accession No.: RPA710Hu01

#### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300,

50% glycerol.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined


# Cloud-Clone Corp.

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


#### [ IDENTIFICATION ]



Western Blot; Sample: 293T cell lysate Primary Ab: 4µg/ml Mouse Anti-Human F1+2 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody (Catalog: SAA544Mu19)




DAB staining on IHC-P; Sample:
Human Liver Tissue; Primary Ab:
10μg/ml Mouse Anti-Human F1+2
Antibody Second Ab: 2μg/mL HRPLinked Caprine Anti-Mouse IgG
Polyclonal Antibody (Catalog:
SAA544Mu19)



DAB staining on IHC-P;
Sample: Human Liver Tissue
Primary Ab: 10µg/ml Mouse AntiHuman F1 2 Antibody
Control: Used PBS instead of primary
antibody
Second Ab: 2µg/ml HRP-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody

(Catalog: SAA544Mu19)



Western Blot; Sample: Lane1: Human Serum; Lane2: Rat Serum Primary Ab: 3µg/ml Mouse Anti-Human F1 2 Antibody Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Mouse IgG Polyclonal

DAPI FITC Merge

FITC staining on IF;
Sample: Human HepG2 cell;
Primary Ab: 30µg/ml Mouse AntiHuman F1 2 Antibody
Second Ab: 2µg/ml FITC-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody

FITC staining on IF;
Sample: HepG2 cell
Primary Ab: 30µg/ml Mouse AntiHuman F1 2 Antibody
Second Ab: 2µg/ml FITC-Linked
Caprine Anti-Mouse IgG Polyclonal
Antibody



Antibody (Catalog: SAA544Mu18) (Catalog: SAA544Mu11)

(Catalog: SAA544Mu19)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.