

PAA032Mu01

Polyclonal Antibody to Fibroblast Growth Factor 1, Acidic (FGF1)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



### [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM:** 100µL

Cross Reactivity: N/A

Applications: WB; IHC; ICC; IP.

#### [ IMMUNOGEN ]

Immunogen: Recombinant FGF1 (Phe16~Asp155) expressed in E.coli

Accession No.: RPA032Mu01

## [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

# Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]






Figure. Western Blot; Sample: Recombinant FGF1, Mouse.




DAB staining on IHC-P; Samples:
Mouse Kidney Tissue; Primary Ab:
10µg/ml Rabbit Anti-Mouse FGF1
Antibody Second Ab: 2µg/mL HRPLinked Caprine Anti-Rabbit IgG
Polyclonal Antibody (Catalog:


SAA544Rb19)



DAB staining on IHC-P; Samples: Mouse Kidney Tissue



DAB staining on IHC-P;



DAB staining on IHC-P;

Sample: Mouse Kidney Tissue Sample: Sa

Sample: Mouse Cardiac Muscle Tissue

Primary Ab: 10µg/ml Rabbit Anti-Mouse Primary Ab: 10µg/ml Rabbit Anti-Mouse

FGF1 Antibody FGF1 Antibody

Control: Used PBS instead of primary Control: Used PBS instead of primary

antibody antibody

Second Ab: 2µg/ml HRP-Linked Second Ab: 2?g/ml HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal

Antibody Antibody

(Catalog: SAA544Rb19) (Catalog: SAA544Rb19)



## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.