

PAC992Mu01

Polyclonal Antibody to Glutathione Peroxidase 3, Plasma (GPX3)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/ml

UOM: 100µl

Cross Reactivity: Rat

Applications: WB; IHC

[IMMUNOGEN]

Immunogen: Recombinant GPX3 (Arg3~Tyr72) expressed in E.coli

Accession No.: RPC992Mu01

[APPLICATIONS]

Western blotting: 0.01-3µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

Coud-Clone Corp.

expiration date under appropriate storage condition.

[IDENTIFICATION]






Figure. Western Blot; Sample: Recombinant GPX3, Mouse.



DAB staining on IHC-P; Samples: Mouse Kidney Tissue;



DAB staining on IHC-P; Samples: Mouse Stomach Tissue;

Primary Ab: 20µg/ml Rabbit Anti-Mouse Primary Ab: 20µg/ml Rabbit Anti-Mouse **GPX3** Antibody


Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

GPX3 Antibody


Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)




DAB staining on IHC-P;

Samples: Mouse Heart Tissue:



DAB staining on IHC-P;

Samples: Mouse Cerebrum Tissue;



DAB staining on IHC-P;

Samples: Mouse Uterus Tissue;

Primary Ab: 20µg/ml Rabbit Anti-Mouse Primary Ab: 20µg/ml Rabbit Anti-Mouse Primary Ab: 20µg/ml Rabbit Anti-Mouse

GPX3 Antibody

Second Ab: 2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

GPX3 Antibody

Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

GPX3 Antibody


Second Ab: 2µg/mL HRP-Linked


Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

Coud-Clone Corp.





DAB staining on IHC-P;

Western Blot; Sample: Rat Kidney

Sample: Mouse Kidney Tissue

lysate;

Primary Ab: 20µg/ml Rabbit Anti-Mouse Primary Ab: 3µg/ml Rabbit Anti-Mouse

GPX3 Antibody

GPX3 Antibody

Control: Used PBS instead of primary

Second Ab: 0.2µg/mL HRP-Linked

antibody

Caprine Anti-Rabbit IgG Polyclonal

Second Ab: 2µg/ml HRP-Linked

Antibody

Caprine Anti-Rabbit IgG Polyclonal

(Catalog: SAA544Rb19)

Antibody

(Catalog: SAA544Rb19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.