

PAB956Ra01 Polyclonal Antibody to Glutathione S Transferase Alpha 5 (GSTa5) Organism Species: *Rattus norvegicus (Rat)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 500µg/mL

UOM: 1

Cross Reactivity: Human

Applications: WB

[<u>IMMUNOGEN</u>]

Immunogen: Recombinant GSTa5 (Met1~Ser221) expressed in E.coli

Accession No.: RPB956Ra01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL

Immunohistochemistry: 5-20µg/mL

Immunocytochemistry: 5-20µg/mL

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Cloud-Clone Corp.


obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



25 20

15

10






Figure. Western Blot; Sample: Recombinant GSTa5, Rat.

Western Blot; Sample: Rat Liver lysate;	Western Blot; Sample: Human Liver
Primary Ab: 2µg/ml Rabbit Anti-Rat	lysate;
GSTa5 Antibody	Primary Ab: 2µg/ml Rabbit Anti-Rat
Second Ab: 0.2µg/mL HRP-Linked	GSTa5 Antibody
Caprine Anti-Rabbit IgG Polyclonal	Second Ab: 0.2µg/mL HRP-Linked
Antibody	Caprine Anti-Rabbit IgG Polyclonal
(Catalog: SAA544Rb19) Selected	Antibody
	(Catalog: SAA544Rb19) Selected

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.