

PAH548Mu01

Polyclonal Antibody to Nexilin (NEXN)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.4mg/ml

UOM: 100µl

Cross Reactivity: N/A

Applications: WB; IHC; ICC; IP.

[<u>IMMUNOGEN</u>]

Immunogen: Recombinant NEXN (His421~Tyr607) expressed in E.coli

Accession No.: RPH548Mu01

[APPLICATIONS]

Western blotting: 0.01-3µg/mL;

Immunohistochemistry: 5-30µg/mL;

Immunocytochemistry: 5-30µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Contend Cloud - Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]







Figure. Western Blot; Sample: Recombinant NEXN, Mouse.






DAB staining on IHC-P; DAB staining on IHC-P; Samples: Mouse Kidney Tissue; Samples: Mouse Heart Tissue; Primary Ab: 10µg/ml Rabbit Anti-Mouse Primary Ab: 10µg/ml Rabbit Anti-Mouse **NEXN** Antibody **NEXN** Antibody Second Ab: 2µg/mL HRP-Linked Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal Antibody Antibody (Catalog: SAA544Rb19) (Catalog: SAA544Rb19)



kDa 100-44-33

kDa 100-44 33

DAB staining on IHC-P; Western Blot; Sample: Mouse Heart Western Blot; Sample: Mouse Lung Samples: Mouse Testis Tissue; lysate; lysate; **NEXN** Antibody **NEXN** Antibody **NEXN** Antibody Second Ab: 2µg/mL HRP-Linked Second Ab: 0.2µg/mL HRP-Linked Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal Antibody Antibody Antibody (Catalog: SAA544Rb19) (Catalog: SAA544Rb19) Selected (Catalog: SAA544Rb19) Selected





[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.