

PAD232Ra01 Polyclonal Antibody to Troponin T Type 2, Cardiac (TNNT2) Organism Species: *Rattus norvegicus (Rat)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/ml

UOM: 100µl

Cross Reactivity: Human; Mouse

Applications: WB; IHC; ICC; IP.

[IMMUNOGEN]

Immunogen: Recombinant TNNT2 (Met1~Lys289) expressed in E.coli

Accession No.: RPD232Ra01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunofluorescence:5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]		
W kDa 70	estern B	lot
44		
33 26 22	-	←38kDa
18		
14 10		






Figure. Western Blot; Sample: Recombinant TNNT2, Rat.

Western Blot; Sample: Rat Heart lysate;Western Blot; Sample: Mouse HeartPrimary Ab: 1µg/ml Rabbit Anti-Ratlysate;TNNT2 AntibodyPrimary Ab: 1µg/ml Rabbit Anti-RatSecond Ab: 0.2µg/mL HRP-LinkedTNNT2 AntibodyCaprine Anti-Rabbit IgG PolyclonalSecond Ab: 0.2µg/mL HRP-LinkedAntibodyCaprine Anti-Rabbit IgG Polyclonal(Catalog: SAA544Rb19)Antibody(Catalog: SAA544Rb19)Antibody

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.