

RPF689Hu01 200µg Recombinant 2',5'-Oligoadenylate Synthetase 2 (OAS2) Organism Species: *Homo sapiens (Human) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Val11~His346

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Cytoplasm, Endoplasmic reticulum lumen

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 400µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.2

Predicted Molecular Mass: 42.6kDa

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Control Cloud-Clone Corp.

VPAQKLGWFI QEYLKPYEEC QTLIDEMVNT ICDVLQEPEQ FPLVQGVAIG GSYGRKTVLR GNSDGTLVLF FSDLKQFQDQ KRSQRDILDK TGDKLKFCLF TKWLKNNFEI QKSLDGFTIQ VFTKNQRISF EVLAAFNALS LNDNPSPWIY RELKRSLDKT NASPGEFAVC FTELQQKFFD NRPGKLKDLI LLIKHWHQQC QKKIKDLPSL SPYALELLTV YAWEQGCRKD NFDIAEGVRT VLELIKCQEK LCIYWMVNYN FEDETIRNIL LHQLQSARPV ILDPVDPTNN VSGDKICWQW LKKEAQTWLT SPNLDNELPA PSWNVLPAPL FTTPGH

[IDENTIFICATION]





Figure . Gene Sequencing (extract)



[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.