

RPK204Ra01 100µg Recombinant A Disintegrin And Metalloproteinase With Thrombospondin 4 (ADAMTS4) Organism Species: *Rattus norvegicus (Rat)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Coud-Clone Corp.

### [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Met13~Gly289

Tags: N-terminal His Tag

Subcellular Location: Extracellular matrix

**Purity:** > 95%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 10.6

Predicted Molecular Mass: 33.3kDa

Accurate Molecular Mass: 30/35kDa as determined by SDS-PAGE reducing conditions.

### [<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ <u>SEQUENCE</u> ]

## Cond-Clone Corp.

MSRMGLHP RRGLTGHRLR RLQPCLPPRT VPFSGLERWQ QLLLLASLLP LAWSASPLPR EEEIVFPEKL NGSSIIPGSG VPARLLYRLP AFGEILLLEL EQDPGVQVEG LTVQYLGQAP EMLGGAEPGT YLTGTINGDP ESVASLHWDR GALLGVLQYR GAELHLQPLE GGALNSAGGP GAHILRRKSP ASNRGPICNV KAPSGSPSPI SRRTKRFASL SRFVETLVVA DDKMAAFHGA GLKHYLLTVM AAAAKAFKHP SIRNPVNLVV TRLVILGSG

# 

Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

### [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.