

RPA009Rb01 100μg Recombinant Angiopoietin 2 (ANGPT2) Organism Species: *Oryctolagus cuniculus (Rabbit) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Leu230~Thr487

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Secreted, Extracellular matrix

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 100mMNaHCO₃, 500mMNaCl, pH8.3, containing 0.01% SKL, 5%

Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.3

Predicted Molecular Mass: 32.9kDa

Accurate Molecular Mass: 31kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in ddH_2O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCE</u>]

Cond-Clone Corp.

L ERQLVTATVN NSALQKQQHD LTETVHSLLT MIATSSSAKN SFAAKEEQIT FRDCADVFRS GLTTSGIYTL TFPNSTEETK AYCDMETGGG GWTTIQRRED GSVDFQRTWK EYKVGFGNPS GEHWLGNEFV SQLTNQQRYV LKIHLRDWEG NEAYSLYEHF YLSSEEFNYR IHLKGLTGTA GKISSISQPG NDFSTKDADN DKCICKCSQM LTGGWWFDAC GPSNLNGMYY PQRQNTNKFN GIKWYYWKGS GYSLKAT

[IDENTIFICATION]




Figure. SDS-PAGE

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.