

RPE532Ra01 100ug Recombinant Cell Adhesion Molecule Related/Down Regulated By Oncogenes (ORCAM) Organism Species: *Rattus norvegicus (Rat) Instruction manual*

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Coud-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression **Host:** *E.coli*

Residues: Thr28~Thr305

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 33.7kDa

Accurate Molecular Mass: 34kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

Cond-Clone Corp.

TYF ISEPLSAVQK LGRPVVLHCS AKPVTARIS WLHNGKRLDR NTEQIKIHRG TLTILSLNPS LSGCYQCVAN NSVGAVVSG PATVSADALA DFDSSTMHVI TAEKKNTGFI GCRVPESNPK AEVRYKIRG KWLMYSTGNY IILPSGNLQI LNVSSKDKGS YKCAAYNPVT SELKVEPAG RKLLVSRPSS DGFHILHPAL SQALAVLPHS PVTLECVVSG VPASQVYWL KDGQDCLSGS NWRRLYSHLA TASIDPADSG NYSCVVGNNS SGDVKHVTY T

[IDENTIFICATION]



[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.