

RPB239Ra01 100µg
Recombinant Cytokeratin 19 (CK19)
Organism Species: *Rattus norvegicus* (Rat)
Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Glu83~Gln390

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 4.5

Predicted Molecular Mass: 36.6kDa

Accurate Molecular Mass: 36kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

                                EKITMQNL NDRLASYLDK
VRALEQANGE LEVKIRDWYQ KQGPFPFRDY SQYFKTIEDL RDKILGATIE
NSKIVLQIDN ARLAADDVRT KFETEALRM SVEADINGLR RVLDETLAR
TDLEMQIENL KEELAYLKN HEEEISALRS QVGGQVSVEV DSTPGIDLAK
ILSEMRSQYE AMAEKNRKA EAWYLTQIDE LNTQVAVHTT QIQINKTEVT
ELRRKVQDLE IELQSLSMK AALEGTVAEI EARYGAQLSH IQGVISSIEV
QLSNVRADTE RQNQEYQQLM DIKSRLEQEI ATYRSLLLEGQ
    
```

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.