

RPU540Hu01 50µg Recombinant Erythroferrone (ERFE) Organism Species: *Homo sapiens (Human) Instruction manual* 

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Coud-Clone Corp.

## [PROPERTIES]

**Source:** Prokaryotic expression **Host:** *E.coli* 

Residues: Ser29~Val354

Tags: N-terminal His Tag

Subcellular Location: Secreted

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 500µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.9

Predicted Molecular Mass: 38.3kDa

Accurate Molecular Mass: 41kDa as determined by SDS-PAGE reducing conditions.

#### [<u>USAGE</u>]

Reconstitute in  $ddH_2O$  to a concentration of 0.1-0.5 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

## Cond-Clone Corp.

SP EPGAPSRSRA RREPPPGNEL PRGPGESRAG PAARPPEPTA ERAHSVDPRD AWMLFVRQSD KGVNGKKRSR GKAKKLKFGL PGPPGPPGPQ GPPGPIIPPE ALLKEFQLLL KGAVRQRERA EPEPCTCGPA GPVAASLAPV SATAGEDDDD VVGDVLALLA APLAPGPRAP RVEAAFLCRL RRDALVERRA LHELGVYYLP DAEGAFRRGP GLNLTSGQYR APVAGFYALA ATLHVALGEP PRRGPPRPRD HLRLLICIQS RCQRNASLEA IMGLESSSEL FTISVNGVLY LQMGQWTSVF LDNASGCSLT VRSGSHFSAV LLGV

## [IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.