RPC539Ra01 100µg Recombinant Intestinal Cell Kinase (ICK) Organism Species: Rattus norvegicus (Rat) *Instruction manual*

kDa

70

44

33 26

22

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

C Cloud-Clone Corp.

10th Edition (Revised in Jan, 2014)

[PROPERTIES]


Residues: Met1~Phe284 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: Q62726 Host: *E. coli* Subcellular Location: Cytoplasm. Purity: >90% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as Iyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 9.3 Predicted Molecular Mass: 36.9kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.



15% SDS-PAGE

Cloud-Clone Corp.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

MNRYTTIKQL GDGTYGSVLL GRSIESGELI AIKKMKRKFY SWEECMNLRE VKSLKKLNHA NIVKLKEVIR ENDHLYFIFE YMKENLYQLI KERNKLFPES AIRNIMYQIL QGLAFIHKHG FFHRDLKPEN LLCMGPELVK IADFGLAREI RSRPPYTDYV STRWYRAPEV LLRSTNYSSP IDVWAVGCIM AEVYTLRPLF PGASEIDTIF KICQVLGTPK KTDWPEGYQL SSAMNFIWPQ CIPNNLKTLI PNASSEAIQL LRDLLQWDPK KRPTASQALR YPYF