RPH838Hu01 100µg Recombinant Isocitrate Dehydrogenase 2, mitochondrial (IDH2) Organism Species: Homo sapiens (Human)

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

Instruction manual

[PROPERTIES]

Residues: Ala40~GIn452 Tags: Two N-terminal Tags, His-tag and T7-tag Accession: P48735 Host: *E. coli* Subcellular Location: Mitochondrion. Purity: >95% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as Iyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl. Predicted isoelectric point: 8.3 Predicted Molecular Mass: 50.3kDa Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.





[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[<u>SEQUENCES</u>]

The sequence of the target protein is listed below.

A DKRIKVAKPV VEMDGDEMTR IIWQFIKEKL ILPHVDIQLK YFDLGLPNRD QTDDQVTIDS ALATQKYSVA VKCATITPDE ARVEEFKLKK MWKSPNGTIR NILGGTVFRE PIICKNIPRL VPGWTKPITI GRHAHGDQYK ATDFVADRAG TFKMVFTPKD GSGVKEWEVY NFPAGGVGMG MYNTDESISG FAHSCFQYAI QKKWPLYMST KNTILKAYDG RFKDIFQEIF DKHYKTDFDK NKIWYEHRLI DDMVAQVLKS SGGFVWACKN YDGDVQSDIL AQGFGSLGLM TSVLVCPDGK TIEAEAAHGT VTRHYREHQK GRPTSTNPIA SIFAWTRGLE HRGKLDGNQD LIRFAQMLEK VCVETVESGA MTKDLAGCIH GLSNVKLNEH FLNTTDFLDT IKSNLDRALG RQ