

RPP555Mu01 100µg

Recombinant Linker For Activation Of T-Cells Family, Member 2 (LAT2) Organism Species: Mus musculus (Mouse)

Instruction manual

kDa

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

10th Edition (Revised in Jan, 2014)

[PROPERTIES]

Residues: Cys29~Val193

Tags: Two N-terminal Tags, His-tag and T7-tag

Accession: Q9JHL0

Host: E. coli

Subcellular Location: Cell membrane; Single-pass

type III membrane protein.

Purity: >95%

Endotoxin Level: <1.0EU per 1µg (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS,

pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 4.9

Predicted Molecular Mass: 22.6kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

70 44 33 26 22 18 14 10 15% SDS-PAGE

[USAGE]

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The sequence of the target protein is listed below.

CS RPGVKRNEKI YEQRNRQENA QSSAAAQTYS LARQVWPGPQ MDTAPNKSFE RKNKMLFSHL EGPESPRYQN FYKGSNQEPD AAYVDPIPTN YYNWGCFQKP SEDDDSNSYE NVLVCKPSTP ESGVEDFEDY QNSVSIHQWR ESKRTMGAPM SLSGSPDEEP DYV