

RPH522Hu02 50µg

**Recombinant Nephronectin (NPNT)** 

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Ala49~Tyr255

Tags: N-terminal His and GST Tag

Subcellular Location: Secreted

**Purity:** > 97%

Traits: Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 100µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.6

Predicted Molecular Mass: 52.9kDa

**Accurate Molecular Mass:** 53kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



|            |            |            |            | AR         |
|------------|------------|------------|------------|------------|
| QSWGQCQPVC | QPRCKHGECI | GPNKCKCHPG | YAGKTCNQDL | NECGLKPRPC |
| KHRCMNTYGS | YKCYCLNGYM | LMPDGSCSSA | LTCSMANCQY | GCDVVKGQIR |
| CQCPSPGLQL | APDGRTCVDV | DECATGRASC | PRFRQCVNTF | GSYICKCHKG |
| FDLMYIGGKY | QCHDIDECSL | GQYQCSSFAR | CYNIRGSYKC | KCKEGYQGDG |
| LTCVY      |            |            |            |            |

## [IDENTIFICATION]




Figure. SDS-PAGE

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.