

RPB824Mu01 10 μ g
Recombinant Nuclear Factor Kappa B (NF κ B)
Organism Species: *Mus musculus* (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Pro40~Met365

Tags: N-terminal His Tag

Tissue Specificity: Spleen

Subcellular Location: Nucleus, Cytoplasm, Chromosome

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.8

Predicted Molecular Mass: 39.7kDa

Accurate Molecular Mass: 40kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

RGFRFRYVCE GPSHGGLPGA SSEKNKKSYP QVKICNYVGP AKVIVQLVTN
GKNIHLHAHS LVGKHCEDGV CTVTAGPKDM VVGFANLGIL HVTKKKFET
LEARMTEACI RGYNPGLLVH SDLAYLQAEG GGDRQLTDRE KEIIRQAAVQ
QTKEMDLSVV RLMFTAFLPD STGSFTRRLE PVVSDAIYDS KAPNASNLKI
VRMDRTAGCV TGGEIYLLC DKVQKDDIQI RFYEEEENG VWEGFGDFSP
TDVHRQFAIV FKTPKYKDVN ITKPASVQVQ LRRKSDLETS EPKPFLYPE
IKDKEEVQRK RQKLM

P YLQILEQPKQ

[IDENTIFICATION]



[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.