

RPA768Ra01 100µg
Recombinant Podocalyxin (PCX)
Organism Species: Mus musculus (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[PROPERTIES]

Residues: Pro153~Ser386 (Accession # Q9WTQ2),

with two N-terminal Tags, His-tag and T7-tag.

Host: E. coli

Subcellular Location: Apical cell membrane.

Cell projection, microvillus. Membrane raft.

Lamellipodium. Filopodium. Ruffle. Membrane;

Single-pass type I membrane protein.

Purity: >95%

Endotoxin Level: <1.0EU per 1μg (determined by the LAL method).

Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% trehalose, 0.01% sarcosyl.

Predicted isoelectric point: 5.9

Predicted Molecular Mass: 28.4kDa

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

kDa 70 44 33 26 22 18 14 10 15% SDS-PAGE

[<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.



[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCES]

The target protein is fused with two N-terminal Tags, His-tag and T7-tag, its sequence is listed below.

MGSSHHHHHH SSGLVPRGSH MASMTGGQQM GRGS- PTTNSTAS PHQPVSHSEG QHTTVQSSSA SVSSSDNTTL LWILTTSKPT GTSEGTQPIA ISTPGITTPV STPLQPTGSP GGTESVPTTE EFTHSTSSWT PVVSQGPSTP SSTWTSGSYK LKCDPAIKPH EELLILNLTR DSFCKGSPPN ERFLELLCHS AKASFKPAED SCALELAPIL DNQAVAVKRI VIETKLSPKA VFELLKDKWD DLTEAGVIDI HLGKEGPPEV NEDRFS