

RPB030Hu01 50µg Recombinant Protein Tyrosine Phosphatase Receptor Type C (CD45) Organism Species: *Homo sapiens (Human)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

# Cloud-Clone Corp.

## [PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Asp193~Lys575

Tags: N-terminal His Tag

Subcellular Location: Membrane

**Purity:** > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 100µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.4

Predicted Molecular Mass: 44.9kDa

Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions.

### [<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


### [ <u>SEQUENCE</u> ]




#### DAYLNASE

TTTLSPSGSA VISTTTIATT PSKPTCDEKY ANITVDYLYN KETKLFTAKL NVNENVECGN NTCTNNEVHN LTECKNASVS ISHNSCTAPD KTLILDVPPG VEKFQLHDCT QVEKADTTIC LKWKNIETFT CDTQNITYRF QCGNMIFDNK EIKLENLEPE HEYKCDSEIL YNNHKFTNAS KIIKTDFGSP GEPQIIFCRS EAAHQGVITW NPPQRSFHNF TLCYIKETEK DCLNLDKNLI KYDLQNLKPY TKYVLSLHAY IIAKVQRNGS AAMCHFTTKS APPSQVWNMT VSMTSDNSMH VKCRPPRDRN GPHERYHLEV EAGNTLVRNE SHKNCDFRVK DLQYSTDYTF KAYFHNGDYP GEPFILHHST SYNSK

#### [IDENTIFICATION]



#### Figure. Gene Sequencing (Extract)



### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.