

RPA297Hu01 10µg

Recombinant Ribonuclease A (RNase A)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Lys29~Thr156

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.8

Predicted Molecular Mass: 16.1kDa

Accurate Molecular Mass: 18kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

KE SRAKKFQRQH MDS DSSPSSS
STYCNQMMRR RNMTQGRCKP VNTFVHEPLV DVQNVCFQEK VTCKNGQGNC
YKSNSSMHIT DCRLTNGSRY PNCAYRTSPK ERHIIVACEG SPYVPVHFDA
SVEDST

[IDENTIFICATION]

G A T T C A G G A T C C G G C C A G A T C C G C C C A C A T G C T C G G C G T C C C C G C A C G C T C A C T T C G T A C C A A T G A T G C G C C C G A T T G C A G G G G C G C A A C A G A C T T T G C C G C G C C C T C G A T G T C T G T T C G A A G S T C C C G A A G C C C C C C A C T G T C A G G C A C T C G A T G C A T C G




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.