

RPH194Ra01 1

Recombinant Scavenger Receptor Class B Member 1 (SCARB1)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Pro33~Val440

Tags: N-terminal His and GST Tag

Subcellular Location: Membrane

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT,

0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.1

Predicted Molecular Mass: 74.8kDa

Accurate Molecular Mass: 75kDa as determined by SDS-PAGE reducing conditions.

[<u>USAGE</u>]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[<u>SEQUENCE</u>]

			PSLIKQQV	LKNVRIDPSS
LSFGMWKEIP	VPFYLSVYFF	EVVNPSEVLN	GQKPVVRERG	PYVYREFRQK
VNITFNDNDT	VSYIENRSLR	FQPDRSQGSE	SDYIVLPNIL	VLGGAVMMED
KPTSLKLLMT	LGLVTMGQRA	FMNRTVGEIL	WGYEDPFVNF	LSKYFPDMFP
IKGKFGLFVG	MNDSSSGVFT	VFTGVQNFSK	IHLVDKWNGL	SEVNYWHSEQ
CNMINGTAGQ	MWAPFMTPES	SLEFFSPEAC	RSMKLTYQES	RVFEGIPTYR
FTAPDTLFAN	GSVYPPNEGF	CPCRESGIQN	VSTCRFGAPL	FLSQPHFYNA
DPVLSEAVLG	LNPDPKEHSL	FLDIHPVTGI	PMNCSVKMQL	SLYIKSVKGV
GQTGKIEPVV	LPLLWFEQSG	MMGGKTLNTF	YTQLVLMPQV	

[IDENTIFICATION]



[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.