

RPH468Hu01 20µg

Recombinant p21 Protein Activated Kinase 2 (PAK2)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Glu177~Ala419

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Cytoplasm, Chromosome

**Purity:** > 90%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.6

Predicted Molecular Mass: 30.5kDa

**Accurate Molecular Mass:** 32kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.


**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ SEQUENCE ]



ETAP PVIAPRPDHT KSIYTRSVID
PVPAPVGDSH VDGAAKSLDK QKKKTKMTDE EIMEKLRTIV SIGDPKKKYT
RYEKIGQGAS GTVFTATDVA LGQEVAIKQI NLQKQPKKEL IINEILVMKE
LKNPNIVNFL DSYLVGDELF VVMEYLAGGS LTDVVTETCM DEAQIAAVCR
ECLQALEFLH ANQVIHRDIK SDNVLLGMEG SVKLTDFGFC AQITPEQSKR
STMVGTPYWM APEVVTRKA

## [ IDENTIFICATION ]



# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.