

RPC885Hu01 10μg Recombinant Synaptopodin(SYNPO) Organism Species: Homo sapiens (Human) *Instruction manual* 

#### FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)


#### [PROPERTIES]

Residues: Asn97~Met300 (Accession # Q8N3V7), with two N-terminal Tags, His-tag and GST-tag. Host: *E. coli* Subcellular Location: Cytoplasm, cytoskeleton. Cell junction, tight junction. Perikaryon. Cell projection, dendritic spine, synapse, postsynaptic cell membrane, postsynaptic density. Purity: >95% Endotoxin Level: <1.0EU per 1µg (determined by the LAL method). Formulation: Supplied as lyophilized form in PBS, pH7.4, containing 5% sucrose, 0.01% sarcosyl. Predicted isoelectric point: 7.0 Predicted Molecular Mass: 55.4kDa Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

## [<u>USAGE</u>]

Reconstitute in sterile PBS, pH7.2-pH7.4.



Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008; ISO13485:2003 11271 Richmond Avenue Suite H104. Houston, TX 77082, USA | Tol Tree: 001-888-960-7402 | Fax: 001-832-538-0088 | Http://www.cloud-clone.us | E-mail: mail@cloud-clone.us Export Processing Zone Building F. Wuhan. Hubei 430056, PRC | Tol Tree: 0086-800-880-0687 | Fax: 0086-27-8425-8551 | Http://www.uscnk.com | E-mail: mail@cloud-clone.us

## [ STORAGE AND STABILITY ]

#### Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

# [<u>SEQUENCES</u>]

The target protein is fused with two N-terminal Tags, His-tag and GST-tag, its sequence is listed below.

MSPILGYWKI KGLVQPTRLL LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK KRIEAIPQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD GSTSGSGHHH HHHSAGLVPR GSTAIGMKET AAAKFERQHM DSPDLGTLEV LFQGPLGSEFCTG LGAPAGELRR QAC-NQNP PATVVPQSLP LSSIQQNSSE AQLPSNGTGP ASKPSTLCAD GQPQAPAEEV RCSTLLIDKV STPATTTSTF SREATLIPSS RPPASDFMSS SLLIDIQPNT LVVSADQEMS GRAAATTPTK VYSEVHFTLA KPPSVVNRTA RPFGIQAPGG TSQMERSPML ERRHFGEKAP APQPPSLPDR SPRPQRHIMS RSPMVERRMM

## [REFERENCES]

- 1. Vlachos A. (2012) Ann. Anat. 194:317-320.
- 2. Zheng M., et al. (2011) PLoS ONE 6:e20431-e20431.
- 3. Kim E.Y., et al. (2010) Am. J. Physiol. Renal Physiol. 299:F594-604.
- 4. Joslyn G., et al. (2010) Alcohol. Clin. Exp. Res. 34:800-812.