



P90133Ov01
Tumor Necrosis Factor Alpha (TNFa)
Organism: Ovis aries; Ovine (Sheep)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES

3th Edition (Revised in February, 2012)

[DESCRIPTION]

Protein Names: Tumor Necrosis Factor Alpha

Gene Names: TNF, TNFA, TNFSF2

Size: 100µg

Source: Recombinant

Expression Host: *E.coli*

Function: Cytokine that binds to TNFRSF1A/TNFR1 and TNFRSF1B/TNFR2. It is mainly secreted by macrophages and can induce cell death of certain tumor cell lines. It is potent pyrogen causing fever by direct action or by stimulation of interleukin-1 secretion and is implicated in the induction of cachexia, Under certain conditions it can stimulate cell proliferation and induce cell differentiation.

Subcellular Location: Cell membrane; Single-pass type II membrane protein; Secreted.

[PROPERTIES]

Residues: Leu78~Leu234 (Accession # P23383), with two N-terminal Tags, His-tag and T7-tag.

Grade & Purity: >97%, 21 kDa as determined by SDS-PAGE reducing conditions.

Form & Buffer: Supplied as lyophilized form in PBS, pH 7.4.



Endotoxin Level: <1.0 EU per 1 μ g (determined by the LAL method).

Applications: SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

Predicted Molecular Mass: 21 kDa

[PREPARATION]

Reconstitute in PBS.

[STORAGE AND STABILITY]

Storage: Store at 4°C for short time storage (1-2 weeks). Aliquot and store at -20°C or -80°C for long term storage. Avoid repeated freeze/thaw cycles.

Valid period: 12 months stored at -80°C.

[BACKGROUND]

The target protein is fused with two N-terminal Tags, His-tag and T7-tag and its sequence is listed below.

MGSSHHHHHSSGLVPRGSHMASMTGGQQMGRGSEF- LRS SSQASNNKPV AHVVANISAP GQLRWGDSYA
NALMANGVEL KDNQLVPTD GLYLIYSQVL FRGHGCPSTP LFLTHTISRI AVSYQTKVNI LSAIKSPCHR
ETLEGAEAKP WYEPIYQGGV FQLEKGDRLS AEINLPEYLD YAESGQVYFG IIAL

[REFERENCES]

1. Young A.J, et.al.(1990). J .Nucleic Acids Res. 18:6723-6723.
2. Green I.R, et.al.(1991). J .Gene 109:203-210.
3. Andrews A.E, et.al.(1991). J .Immunol. Cell Biol. 69:273-283.

