

MAA855Ra21

Monoclonal Antibody to Receptor Activator Of Nuclear Factor Kappa B Ligand (RANkL)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

Cond-Clone Corp.

[PROPERTIES]

Source: Monoclonal antibody preparation Host: Hybridoma culture supernatant Antibody isotype: IgG2a Kappa Purification: Protein A + Protein G affinity chromatography Clone number: C1 Traits: Liquid Concentration: 1mg/ml UOM: 1mg(1ml) Cross Reactivity: N/A Applications: WB; IHC; ICC; IP. [IMMUNOGEN] Immunogen: Recombinant RANkL (Glu106~Met240) expressed in *E.coli* Accession No.: RPA855Ra01 LAPPLICATIONS 1

[APPLICATIONS]

Western blottin:g: 0.5-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined



by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure. Western Blot; Sample: Recombinant RANkL, Rat.

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.