

PAA884Hu01

Polyclonal Antibody to Cluster Of Differentiation 26 (CD26)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



### [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.39mg/mL

**UOM:** 50µg(128µL)

Cross Reactivity: Canine; Porcine; Bovine; Caprine; Ovine

Applications: WB; IHC; ICC; IP.

### [ IMMUNOGEN ]

Immunogen: Recombinant CD26 (Ser484~Val728) expressed in E.coli

Accession No.: RPA884Hu01

## [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 2-20µg/mL;

Immunocytochemistry: 2-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN3, 50% glycerol.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

## Coud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]







Figure. Western Blot; Sample: Recombinant DPP4, Human.




DAB staining on IHC-P; Samples: Human Kidney Tissue; Primary Ab: 15µg/ml Rabbit Anti-Human DPP4 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




DAB staining on IHC-P; Samples: Human Glioma Tissue; Primary Ab: 15µg/ml Rabbit Anti-Human DPP4 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P; Samples: Human Prostate Tissue; Primary Ab: 15µg/ml Rabbit Anti-Human DPP4 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




DAB staining on IHC-P; Primary Ab: 15µg/ml Rabbit Anti-Human DPP4 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




DAB staining on IHC-P; Samples: Human Skin cancer Tissue; Samples: Human Breast cancer Tissue; Primary Ab: 15µg/ml Rabbit Anti-Human DPP4 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

# Cloud-Clone Corp.





DAB staining on IHC-P;
Samples: Human Prostate cancer
Tissue;
Primary Ab: 15µg/ml Rabbit AntiHuman DPP4 Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)











kDa

70-



Western Blot; Sample: Lane1: Canine
Liver lysate; Lane2: Bovine Liver lysate;
Lane3: Caprine Liver lysate
Primary Ab: 0.15µg/ml Rabbit AntiHuman CD26 Antibody
Second Ab: 0.2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody
(Catalog: SAA544Rb19) Selected

FITC staining on IF;
Samples: Human Hela cell;
Primary Ab: 20µg/ml Rabbit AntiHuman DPP4 Antibody
Second Ab: 1.5µg/ml FITC-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody
(Catalog: SAA544Rb18)



Second Ab: 2µg/ml FITC-Linked

Caprine Anti-Rabbit IgG Polyclonal



## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.