

PAB369Mu01

Polyclonal Antibody to Cluster Of Differentiation 74 (CD74)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 20µL

Cross Reactivity: Rat

Applications: WB; IHC; ICC; IP.

[<u>IMMUNOGEN</u>]

Immunogen: Recombinant CD74 (Leu64~Val205) expressed in E.coli

Accession No.: RPB369Mu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-30µg/mL;

Immunocytochemistry: 5-30µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.


Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

Cond-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


[IDENTIFICATION]







DAB staining on IHC-P; Samples: Mouse Ovary Tissue; Primary Ab: 30µg/ml Rabbit Anti-Mouse MHCDG Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

Samples: Mouse Skeletal muscle Tissue: Primary Ab: 30µg/ml Rabbit Anti-Mouse MHCDG Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P; Samples: Mouse Kidney Tissue; Primary Ab: 30µg/ml Rabbit Anti-Mouse MHCDG Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)






DAB staining on IHC-P; DAB staining on IHC-P; DAB staining on IHC-P; Samples: Mouse Uterus Tissue; Samples: Mouse Testis Tissue; Samples: Mouse Spleen Tissue; Primary Ab: 30µg/ml Rabbit Anti-Mouse Primary Ab: 30µg/ml Rabbit Anti-Mouse Primary Ab: 30µg/ml Rabbit Anti-Mouse MHCDG Antibody MHCDG Antibody Second Ab: 2µg/mL HRP-Linked Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal


(Catalog: SAA544Rb19)

MHCDG Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Control Cloud-Clone Corp.





DAB staining on IHC-P; Sample: Mouse Spleen Tissue Spleen lysate; Lane2: Mouse Thymus Primary Ab: 30µg/ml Rabbit Anti-Mouse lysate; Lane3: Mouse Lymph node CD74 Antibody lysate; Lane4: Rat Spleen lysate; Control: Used PBS instead of primary Primary Ab: 2µg/ml Rabbit Anti-Mouse antibody CD74 Antibody Second Ab: 2µg/ml HRP-Linked Second Ab: 0.2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Caprine Anti-Rabbit IgG Polyclonal Antibody Antibody (Catalog: SAA544Rb19) (Catalog: SAA544Rb19)

Western Blot; Samples: Lane1: MouseWestern Blot; Sample: Mouse ThymusSpleen lysate; Lane2: Mouse Thymuslysatelysate; Lane3: Mouse Lymph nodePrimary Ab: 0.2µg/ml Rabbit Anti-lysate; Lane4: Rat Spleen lysate;Mouse CD74 AntibodyPrimary Ab: 2µg/ml Rabbit Anti-MouseSecond Ab: 0.2?g/ml HRP-LinkedCD74 AntibodyCaprine Anti-Rabbit IgG PolyclonalSecond Ab: 0.2?g/ml HRP-LinkedAntibodyCaprine Anti-Rabbit IgG Polyclonal(Catalog: SAA544Rb19)

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.