

PAC486Mu01

Polyclonal Antibody to Fucose-1-Phosphate Guanylyltransferase (FPGT)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



### [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM**: 100µl

Cross Reactivity: Human

**Applications: WB,IHC** 

#### [ IMMUNOGEN ]

Immunogen: Recombinant FPGT (His314~Leu513) expressed in E.coli

Accession No.: RPC486Mu01

## [ APPLICATIONS ]

Western blotting: 0.5-2µg/mL

Immunohistochemistry: 5-20µg/mL

Immunocytochemistry: 5-20µg/mL

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

# Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [ IDENTIFICATION ]





Figure. Western Blot; Sample: Recombinant FPGT, Mouse.



DAB staining on IHC-P; Samples:


Mouse Colon Tissue; Primary Ab:

20µg/ml Rabbit Anti-Mouse FPGT


Antibody Second Ab: 2µg/mL HRP
Linked Caprine Anti-Rabbit IgG

Polyclonal Antibody (Catalog:


SAA544Rb19)




DAB staining on IHC-P;
Samples: Mouse Kidney Tissue;
Primary Ab: 20µg/ml Rabbit Anti-Mouse
FPGT Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody
(Catalog: SAA544Rb19)



DAB staining on IHC-P;
Sample: Mouse Colon Tissue



DAB staining on IHC-P; Sample: Mouse Kidney Tissue



Western Blot; Sample: Human A431 cell lysate;

Primary Ab: 20μg/ml Rabbit Anti-Mouse Primary Ab: 20μg/ml Rabbit Anti-Mouse Primary Ab: 1μg/ml Rabbit Anti-Mouse FPGT Antibody

FPGT Antibody

FPGT Antibody

FPGT Antibody

Control: Used PBS instead of primary

Control: Used PBS instead of primary

antibody

Caprine Anti-Rabbit IgG Polyclonal

Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

Second Ab: 2µg/ml HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody


(Catalog: SAA544Rb19)

Antibody



(Catalog: SAA544Rb19)

(Catalog: SAA544Rb19)



Western Blot; Sample: Human Hela cell

lysate;

Primary Ab: 1µg/ml Rabbit Anti-Mouse

**FPGT** Antibody

Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.