

**PAA670Ra01** 

Polyclonal Antibody to Homing Associated Cell Adhesion Molecule (HCAM)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



## [PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.58mg/ml

**UOM:** 100µl

Cross Reactivity: Human

Applications: WB; IHC

## [ IMMUNOGEN ]

Immunogen: Recombinant HCAM (Gln24~Val182) expressed in E.coli

Accession No.: RPA670Ra01

#### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.


Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the


# Coud-Clone Corp.

expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Western Blot; Sample: Rat Serum; Primary Ab: 1µg/ml Rabbit Anti-Rat HCAM Antibody Second Ab: 0.2µg/



DAB staining on IHC-P;
Samples: Rat Colon Tissue;
Primary Ab: 10µg/ml Rabbit Anti-Rat
HCAM Antibody
Second Ab: 2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody

(Catalog: SAA544Rb19)



Western Blot; Sample: Lane1: Rat
Serum; Lane2: A549 cell lysate
Primary Ab: 0.3µg/ml Rabbit Anti-Rat
HCAM Antibody
Second Ab: 0.2µg/mL HRP-Linked
Caprine Anti-Rabbit IgG Polyclonal
Antibody
(Catalog: SAA544Rb19)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.