

PAJ794Hu01

Polyclonal Antibody to NADH Dehydrogenase Ubiquinone Fe-S Protein 1 (NDUFS1)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 500µg/mL

UOM: 100µL

Cross Reactivity: Porcine

Applications: WB,IHC

[IMMUNOGEN]

Immunogen: Recombinant NDUFS1 (Ala524~Cys727) expressed in E.coli

Accession No.: RPJ794Hu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL

Immunohistochemistry: 5-30µg/mL

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300,

50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the

Cloud-Clone Corp.

expiration date under appropriate storage condition.

[IDENTIFICATION]







Figure. Western Blot; Sample: Recombinant NDUFS1, Human.




DAB staining on IHC-P; Samples: Human Glioma Tissue; Primary Ab: 30µg/mL Rabbit Anti-Human NDUFS1 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



DAB staining on IHC-P; Samples: Human Cerebrum Tissue; Primary Ab: 30µg/mL Rabbit Anti-Human NDUFS1 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




DAB staining on IHC-P; Samples: Human Cardiac Muscle Tissue; Primary Ab: 20µg/mL Rabbit Anti-Human NDUFS1 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) DAB staining on IHC-P; Samples: Human Kidney Tissue; Primary Ab: 20µg/mL Rabbit Anti-Human NDUFS1 Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)




DAB staining on IHC-P; Sample: Human Cardiac Muscle Tissue Primary Ab: 20µg/mL Rabbit Anti-Human NDUFS1 Antibody Control: Used PBS instead of primary antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)


رکی <u>Cloud-Clone Co</u>rp.





DAB staining on IHC-P; Sample: Human Kidney Tissue Primary Ab: 20µg/mL Rabbit Anti-Human NDUFS1 Antibody Control: Used PBS instead of primary antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blot; Sample: Human Hela cell Iysate; Primary Ab: 2µg/mL Rabbit Anti-Human NDUFS1 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)







| Western Blot; Sample: Human A549 | Western Blot; Sample: Porcine Liver | Western Blot; Sample: Porcine Kidney |
|--|-------------------------------------|--------------------------------------|
| cell lysate; | lysate; | lysate; |
| Primary Ab: 2µg/mL Rabbit Anti-Human Primary Ab: 2µg/mL Rabbit Anti-Human Primary Ab: 2µg/mL Rabbit Anti-Human | | |
| NDUFS1 Antibody | NDUFS1 Antibody | NDUFS1 Antibody |
| Second Ab: 0.2µg/mL HRP-Linked | Second Ab: 0.2µg/mL HRP-Linked | Second Ab: 0.2µg/mL HRP-Linked |
| Caprine Anti-Rabbit IgG Polyclonal | Caprine Anti-Rabbit IgG Polyclonal | Caprine Anti-Rabbit IgG Polyclonal |
| Antibody | Antibody | Antibody |
| (Catalog: SAA544Rb19) | (Catalog: SAA544Rb19) | (Catalog: SAA544Rb19) |

[IMPORTANT NOTE]



The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.