

**PAH548Ra01** 

Polyclonal Antibody to Nexilin (NEXN)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

**UOM**: 100µl

Cross Reactivity: Mouse

**Applications: WB,IHC** 

#### [ IMMUNOGEN ]

Immunogen: Recombinant NEXN (Ala214~Gln455) expressed in E.coli

Accession No.: RPH548Ra01

#### [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Immunohistochemistry: 5-20µg/mL;

Immunocytochemistry: 5-20µg/mL;

Optimal working dilutions must be determined by end user.

#### [FORMULATION]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

#### [STORAGE AND STABILITY]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no

# Carp. Cloud-Clone Corp.

obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ IDENTIFICATION ]






Figure. Western Blot; Sample: Recombinant NEXN, Rat.



DAB staining on IHC-P; Samples: Rat Western Blot; Sample: Rat Heart lysate;

Cardiac Muscle Tissue; Primary Ab: 10µg/ml Rabbit Anti-Rat NEXN Antibody Second Ab: 2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog:





Primary Ab: 1µg/ml Rabbit Anti-Rat


kDa 100-


70-

44-

33-

27-







Western Blot; Sample: Mouse Heart Western Blot; Sample: Rat Lung lysate; Western Blot; Sample: Rat Cerebrum lysate

Primary Ab: 0.02µg/ml Rabbit Anti-Rat **NEXN** Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal

Antibody (Catalog: SAA544Rb19) Selected Primary Ab: 1µg/ml Rabbit Anti-Rat


**NEXN** Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19) Selected

lysate;

Primary Ab: 1µg/ml Rabbit Anti-Rat **NEXN** Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19) Selected





Western Blot; Sample: Rat Testis

lysate;

Primary Ab: 1µg/ml Rabbit Anti-Rat

**NEXN** Antibody

Second Ab: 0.2µg/mL HRP-Linked

Caprine Anti-Rabbit IgG Polyclonal

Antibody

(Catalog: SAA544Rb19) Selected

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.