

PAA753Mu01

Polyclonal Antibody to Toll Like Receptor 4 (TLR4)

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

Cond-Clone Corp.

[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity

chromatography

Traits: Liquid

Concentration: 0.5mg/mL

UOM: 100µL

Cross Reactivity: Mouse;Rat

Applications: WB

[<u>IMMUNOGEN</u>]

Immunogen: Recombinant TLR4 (Asn26~Glu269) expressed in E.coli

Accession No.: RPA753Mu01

[APPLICATIONS]

Western blotting: 0.01-2µg/mL;

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.


Store at 4°C for frequent use.

Aliquot and store at -20°C for 24 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Coud-Clone Corp.

[IDENTIFICATION]



Western Blot; Sample: Hela cell lysate Western Blot; Sample: Mouse Spleen Western Blot; Sample: Mouse Thymus Primary Ab: 0.6µg/ml Rabbit Antilysate; lysate Mouse TLR4 Antibody Second Ab: Primary Ab: 2µg/ml Rabbit Anti-Mouse Primary Ab: 1µg/ml Rabbit Anti-Mouse 0.2µg/mL HRP-Linked Caprine Anti-**TLR4** Antibody Rabbit IgG Polyclonal Antibody Second Ab: 0.2µg/mL HRP-Linked (Catalog: SAA544Rb19) Caprine Anti-Rabbit IgG Polyclonal Antibody

(Catalog: SAA544Rb19)

TLR4 Antibody Second Ab: 0.2µg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

[<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.