**PAC598Hu01**

**Polyclonal Antibody to Vanin 1 (VNN1)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

## [ PROPERTIES ]

**Source:** Polyclonal antibody preparation

**Host:** Rabbit

**Purification:** Antigen-specific affinity chromatography followed by Protein A affinity chromatography

**Traits:** Liquid

**Concentration:** 0.5mg/ml

**UOM:** 100µl

**Cross Reactivity:** Mouse

**Applications:** WB

## [ IMMUNOGEN ]

**Immunogen:** Recombinant VNN1 (Leu36~Leu223) expressed in *E.coli*

**Accession No.:** RPC598Hu01

## [ APPLICATIONS ]

Western blotting: 0.01-2µg/mL;

Optimal working dilutions must be determined by end user.

## [ FORMULATION ]

**Form & Buffer:** Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

## [ STORAGE AND STABILITY ]

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 4ºC for frequent use.

Aliquot and store at -20ºC for 24 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Figure. Western Blot; Sample: Recombinant VNN1, Human.




Figure. Western Blot; Lane1: Mouse Kidney Tissue; Lane2: Mouse Spleen Tissue ; Lane3: Human BXPC-3 Cells; Lane4: Human PC-3 Cells.




Western Blot; Samples: Lane1: PC3 cell lysate; Lane2: BXPC3 cell lysate; Lane3: HepG2 cell lysate; Primary Ab: 0.1μg/ml Rabbit Anti-Human VNN1 Antibody Second Ab: 0.2?g/ml HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.