

**RPC314Mu02 100µg**

**Recombinant Adenomatosis Polyposis Coli Protein (APC)**

**Organism Species: *Mus musculus* (Mouse)**

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

**[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Ala2529~Ser2841

**Tags:** Two N-terminal Tags, His-tag and SUMO-tag

**Subcellular Location:** Membrane

**Purity:** > 95%

**Traits:** Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 9.8

**Predicted Molecular Mass:** 46.9kDa

**Accurate Molecular Mass:** 46kDa as determined by SDS-PAGE reducing conditions.

**[ USAGE ]**

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

**[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**

AR SHSESPRLP INRAGTWKRE HSKHSSSLPR VSTWRRTGSS SSILSASSES SEKAKSEDER HVSSMPAPRQ  
MKENQVPTKG TWRKIKESDI SPTGMASQSA SSGAASGAES KPLIYQMAPP VSKTEDVWVR IEDCPINNPR SGRSPTGNTF  
PVIDSVSEKG SSSIKDSKDT HGKQSVGSGS PVQTVGLETR LNSFVQVEAP EQKGTEAKPG QSNPVSAIET AETCIAERTP  
FSSSSSSKHS SPSGTVAARV TPFNYPSPR KSSADSTSAR PSQIPTPVST NTKKRDSKTD STESSGAQSP KRHSGSYLVT  
S

**[ IDENTIFICATION ]**




Figure. SDS-PAGE

**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.