

RPB929Mu01 1mg

Recombinant Choline Acetyltransferase (ChAT)

Organism Species: *Mus musculus* (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Met1~Ser641

Tags: His and TrxA Taq

Subcellular Location: Cytoplasm

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 350µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.8

Predicted Molecular Mass: 92.2kDa

Accurate Molecular Mass: 70/60kDa as determined by SDS-PAGE reducing conditions.

Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affects the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[**SEQUENCE**]

```
MPILEKVPPKMPVQASSCEEVLDLPKLPVPPQQTLATYLQCMQHLVP EEQFRKSQAIVKRFGAPGGLGETLQEKLLERQEKTANWVSEY  
WLNDMYLNNRLALPVNSSPAVIFARQHFQDTNDQLRFAASLISGVL SYKALLDSQSIPTDWAQGQLSGQPLCMKQYYRLFSSYRLPGHTQ  
DTLVAQKSSIMPEPEHVIVACCNQFFVLDVVINFRRLSEGDLFTQLRKIVKMASNEDERLPPIGLLTSDGRSEWAKARTVLLKDSTNRDS  
LDMIERCICLVCLDGPGTGDLSDTHRALQLLHGGGCSLNGANRWYDKSLQFVVG RDGTCGVVCEHSPFDGI VLVQCTEHLKHMMTGNKK  
LVRVDSVSELPAPRRRLRWKCSPETQGH LASSAEKLQRI VKNLDFIVYKFDNYGKTFIKKQKCPDGF IQVALQLAYYRLYQRLVPTYESA  
SIRRFQEGRVDNIRSATPEALAFVQAMTDHKA AVLASEKLQLLQRAIQ AQTEYTVMAITGMAIDNHL LALRELARDLCKEPPEMFMDETY  
LMSNRFILSTSQVPTTME MFCCYGPVVPNGYGACYNPHAEAITFCISSFHGCKETSSVEFAEAVGASLVDMRDL C SSRQPADSKPPTAKE  
RARGPSQAKQS
```

[**IDENTIFICATION**]




Figure. SDS-PAGE

[**IMPORTANT NOTE**]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.