

RPB231Mu01 50µg

Recombinant Cytokeratin 18 (CK18)

Organism Species: *Mus musculus* (Mouse)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Met1~His423

Tags: N-terminal His Tag

Subcellular Location: Nucleus, Cytoplasm

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.2

Predicted Molecular Mass: 48.8kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

MSFTTRSTTF STNYRSLGSV RTPSQVRPA SSAASVYAGA GGSGSRISVS
RSVWGGSVGS AGLAGMGGIQ TEKETMQDLN DRLASYLDKV KSLETENRRL
ESKIREHLEK KGPQGV RDWG HYFKIIEDLR AQIFANSVDN ARIVLQIDNA
RLAADDFRVK YETELAMRQS VESDIHGLRK VVDDTNITRL QLETEIEALK
EELLFMKKNH EEEVQGLEAQ IASSGLTVEV DAPKSQDLSK IMADIRAQYE
ALAQKNREEL DKYWSQQIEE STTVVTTKSA EIRDAETTLT ELRRTLQTLT
IDLDSMKNQN INLENSLGDV EARYKAQMEQ LNGVLLHLES ELAQTRAEGQ
RQAQYEYALL NIKVKLEAEI ATYRRLLLEDG EDFSLNDALD SSNSMQTVQK
TTTRKIVDGR VVSETNDTRV LRH
    
```

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.