

RPX170Ge01 100µg
Recombinant Envelope Protein (E)
Organism Species: *Pan-species (General)*
Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Ile1~Lys409

Tags: N-terminal His Tag

Subcellular Location: Secreted

Purity: > 95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 500µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.6

Predicted Molecular Mass: 48.3kDa

Accurate Molecular Mass: 48kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

IRCIGVSNRD FVEGMSGGTW VDVVLEHGGC VTVMAQDKPT VDIELVTTTV SNMAEVRSYC YEASISDMAS DSRCPTQGEA
YLDKQSDTQY VCKRTLVD RG WNGCGFLFGK GSLVTCAKFA CSKKMTGKSI QPENLEYRIM LSVHGSQHSG MIVNDTGHET
DENRAKVEIT PNSPRAEATL GGFGLSLGLDC EPRTGLDFSD LYYLTMNNKH WLVKKEWFHD IPLPWHAGAD TGTPHWNNKE
ALVEFKDAHA KRQTVVVLGS QEGAVHTALA GALEAEMDGA KGRLSSGHLK CRLKMDKLRL KGVSYSLCTA AFTFTKIPAE
TLHGTVTVEV QYAGTDGPCK VPAQMAVDMQ TLTPVGRLIT ANPVITESTE NSKMMELEDP PFGDSYIVIG VGEKKITHHW
HRSGSTIGK

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.