

RPB794Hu01 50µg

Recombinant Fibroblast Growth Factor Receptor 2 (FGFR2)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Thr157~Glu377

Tags: N-terminal His Tag

Subcellular Location: Membrane

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 500µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.8

Predicted Molecular Mass: 28.3kDa

Accurate Molecular Mass: 32kDa as determined by SDS-PAGE reducing conditions.

Phenomenon explanation:

The possible reasons that the actual band size differs from the predicted are as follows:

1. Splice variants: Alternative splicing may create different sized proteins from the same gene.
2. Relative charge: The composition of amino acids may affect the charge of the protein.
3. Post-translational modification: Phosphorylation, glycosylation, methylation etc.
4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form.
5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

T N T E   K M E K R L H A V P   A A N T V K F R C P   A G G N P M P T M R   W L K N G K E F K Q
E H R I G G Y K V R   N Q H W S L I M E S   V V P S D K G N Y T   C V V E N E Y G S I   N H T Y H L D V V E
R S P H R P I L Q A   G L P A N A S T V V   G G D V E F V C K V   Y S D A Q P H I Q W   I K H V E K N G S K
Y G P D G L P Y L K   V L K A A G V N T T   D K E I E V L Y I R   N V T F E D A G E Y   T C L A G N S I G I
S F H S A W L T V L   P A P G R E K E I T   A S P D Y L E
    
```

[IDENTIFICATION]

TCTCCACAGAAAGGTGGAAAGCGCTCATGCTGTGCTGGGACACCTGTCAAGTTTCCTGCGCAGCGGGGGAAACCAATGCGACCATGGGGTCTGAAAGCGGAGGGTTTAGAGAGAGATCGATTGGGGCTCAGGTACGAAACGACCTGGAGCTCATATGGAAAGTGGTCCCATCTGACAGGGAAATTAACCTGTGGTGGAG
T H T E K M E K R L H A V P A A N T V K F R C P A G G N P M P T M R W L K N G K E F K Q E H R I G G Y K V R N Q H W S L I M E S V V P S D K G N Y T C V V E I




Figure. Gene Sequencing (Extract)




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.