

**RPH918Hu01 10µg**

**Recombinant Hephaestin (HEPH)**

**Organism Species: *Homo sapiens (Human)***

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

**[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Ala24~Cys366

**Tags:** N-terminal His Tag

**Subcellular Location:** Membrane

**Purity:** > 95%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 5.4

**Predicted Molecular Mass:** 42.1kDa

**Accurate Molecular Mass:** 42kDa as determined by SDS-PAGE reducing conditions.

**[ USAGE ]**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

**[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**

```
          ATRVYYL  GIRDVQWNYA  PKGRNVITNQ
PLDSDIVASS  FLKSDKNRIG  GTYKKTIYKE  YKDDSYTDEV  AQPALWGFLG
PVLQAEVGDV  ILIHLKNFAT  RPYTIHPHGV  FYEKDSEGLS  YPDGSSGPLK
ADDSVPPGGS  HIYNWTIPEG  HAPTDADPAC  LTWIIYHSHVD  APRDIATGLI
GPLITCKRGA  LDGNSPPQRQ  DVDHDFLLF   SVVDENLSWH  LNENIATYCS
DPASVDKEDE  TFQESNRMHA  INGFVFGNLP  ELNMCAQKRV  AWHLFGMGNE
IDVHTAFFHG  QMLTTRGHHT  DVANIFPATF  VTAEMVPWEP  GTWLISCQVN
SHFRDGMQAL  YKVKSC
```

**[ IDENTIFICATION ]**




Figure. SDS-PAGE

**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.