

RPE909Hu01 50µg

Recombinant Histone Deacetylase 9 (HDAC9)

Organism Species: *Homo sapiens (Human)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Pro23~Ala343

Tags: N-terminal His Tag

Subcellular Location: Nucleus

Purity: > 80%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 400µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.6

Predicted Molecular Mass: 40.1kDa

Accurate Molecular Mass: 42kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

PLDLRTDL RMMMPVVDPV VREKQLQQEL
LLIQQQQQIQ KQLLIAEFQK QHENLTRQHQ AQLQEHKEL LAIKQQQELL
EKEQKLEQQR QEQEVEHRR EQQLPPLR GK DRGRERAVAS TEVKQKLQEF
LLSKSATKDT PTNGKNHSVS RHPKLWYTAA HHTSLDQSSP PLSGTSPSYK
YTLPGAQDAK DDFPLRKTAS EPNLKVRSRL KQKVAERRSS PLLRRK DGNV
VTSFKKRMFE VTESSVSSSS PGSGPSSPNN GPTG SVTENE TSVLPPTPHA
EQMVSQQRIL IHEDSMNLLS LYTSPSLPNI TLGLPAVPSQ LNA

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.