

RPA546Mu01 50µg Recombinant Immunoglobulin A (IgA) Organism Species: *Mus musculus (Mouse)* Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

# Coud-Clone Corp.

### [PROPERTIES]

Source: Prokaryotic expression Host: E.coli Residues: Glu1~Tyr344 Tags: N-terminal His Tag Subcellular Location: Secreted **Purity:** > 90% Traits: Freeze-dried powder Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose . Original Concentration: 50µg/mL Applications: Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.) **Predicted isoelectric point: 4.7** Predicted Molecular Mass: 40.6kDa Accurate Molecular Mass: 44kDa as determined by SDS-PAGE reducing conditions. Phenomenon explanation: The possible reasons that the actual band size differs from the predicted are as follows: 1.Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein. 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc. 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form. 5. Polymerization of the target protein: Dimerization, multimerization etc. [<u>USAGE</u>]

Reconstitute in ddH<sub>2</sub>O to a concentration less than or equal to 0.1mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.




Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [SEQUENCE]

```
ESARNPTIYP LTLPPALSSD PVIIGCLIHD YFPSGTMNVT WGKSGKDITT
VNFPPALASG GRYTMSNQLT LPAVECPEGE SVKCSVQHDS NPVQELDVNC
SGPTPPPPIT IPSCQPSLSL QRPALEDLLL GSDASITCTL NGLRNPEGAV
FTWEPSTGKD AVQKKAVQNS CGCYSVSSVL PGCAERWNSG ASFKCTVTHP
ESGTLTGTIA KVTVNTFPPQ VHLLPPPSEE LALNELLSLT CLVRAFNPKE
VLVRWLHGNE ELSPESYLVF EPLKEPGEGA TTYLVTSVLR VSAETWKQGD
QYSCMVGHEA LPMNFTQKTI DRLSGKPTNV SVSVIMSEGD GICY
```



#### Figure . Gene Sequencing (extract)

kDa 70
44
33
26
22
18
14
1000



Figure. SDS-PAGE

## [<u>IMPORTANT NOTE</u>]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.