

RPB287Ra01 50µg

Recombinant Integrin Alpha 5 (ITGa5)

Organism Species: *Rattus norvegicus* (Rat)

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Asp516~Cys971

Tags: N-terminal His Tag

Subcellular Location: Membrane

Purity: > 90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 50µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.0

Predicted Molecular Mass: 53.9kDa

Accurate Molecular Mass: 54&29kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.4 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```

    DGNGY PDLIVGSFGV DKALVYRGRP IISASASLTI FPSMFNPEER
SCSLEGNPVS CINLSFCLNA SGKHVPNSIG FEVELQLDWQ KQKGGVRRAL
FLASKQATLT QTL LIQNGAR EDCREMKIYL RNESEFRDKL SPIHIALNFS
LDPKAPMDSH GLRPVLHYQS KSRIEDKAQI LLDCGEDNIC VPDQLQAVYG
EKKHVYLGDK NALNLTFLAQ NLGEGGAYEA ELRVTAPLEA EYSGLVRHPG
NFSSLSCDYF AVNQRSQQLVC DLGNPMKAGT SIWGGLRFTV PHLQDTKTI
QDFQILSKN LNNSQSNMVS FPLSVEAQAQ VSLNGVSKPE AVIFPVSDWN
PQDQPQKEGD LGPAVHHVYE LINQGPSSIS QGVLEISCPQ ALEGGQLLYV
TKVTGLNNCT SNYTPNSQGL ELDPEVSPHH LQRREAPGRS STTSGTQVLK
CPEAKCFRLR C

```

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.