RPD225Ra01 1mg

Recombinant Lipase A, Lysosomal Acid (LIPA)

Organism Species: *Rattus norvegicus (Rat)*

Instruction manual

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[PROPERTIES]

Source: Prokaryotic expression

Host: *E.coli*

Residues: Asn32~Ile358

Tags: N-terminal His Tag

Subcellular Location: Lysosome

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

Original Concentration: 300μg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.3

Predicted Molecular Mass: 41.1kDa

Accurate Molecular Mass: 41kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8⁰C for one month.

Aliquot and store at -80⁰C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
                                NMNVTEIIM HWGYPEHSVQ
TGDGYILGVH RIPHGRKNQF DKGPKPVVYL QWRHGFLADS SNWVTNIDNN
SLGFILADAG FDVWMGNSRG NTWSRKHKTL SVSQDEYWAF SFDEMAKYDL
PASINYILNK TGQEQLYNVG HSQGCTIGFI AFSQMPELAK KVKMFFALAP
VLSLNFASGP MVKLGRLPDL LLEDLFGQKQ FLPQSAMVKW LSTHICTHVI
MKELCANIFF LICGFNEKNL NMSRVDVYTT HCPAGTSVQN MVHWTQVVKY
HKLQAFDWGS SDKNYFHYNQ SYPPLYSIKD MQLPTALWSG GKDWLADTSD
INILLTEI
```

[**IDENTIFICATION**]

15% SDS-PAGE

[**IMPORTANT NOTE**]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.