

**RPA211Ra01 10µg**

**Recombinant Matrix Metalloproteinase 23A (MMP23A)**

**Organism Species: *Rattus norvegicus* (Rat)**

***Instruction manual***

FOR RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

---

12th Edition (Revised in Aug, 2016)

**[ PROPERTIES ]**

**Source:** Prokaryotic expression

**Host:** *E.coli*

**Residues:** Ser71~Tyr383

**Tags:** N-terminal His Tag

**Subcellular Location:** Endoplasmic reticulum lumen, Exosome

**Purity:** > 90%

**Traits:** Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL, 5% Trehalose.

**Original Concentration:** 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted isoelectric point:** 9.6

**Predicted Molecular Mass:** 39.9kDa

**Accurate Molecular Mass:** 40kDa as determined by SDS-PAGE reducing conditions.

**[ USAGE ]**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

**[ STORAGE AND STABILITY ]**

**Storage:** Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.


Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

**[ SEQUENCE ]**

SMLVTRRRRY TLTPARLRWD HFNLTYRILS  
FPRNLLSPEE TRRGLAAAFR MWSDVSPFSF REVAPERPSD LKIGFYPVNH  
TDCLVSALHH CFDGPTGELA HAFFPPHGGI HFDDSEYWVL GPTRYSWKKG  
VWLTDLVHVA AHEIGHALGL MHSQQDQALM HLNATLRGWK ALSQDELWGL  
HRLYGCLDRI FVCTSWARKG FCDVRQRLMK RLCPRSCDFC YEFPFPTVAT  
TTSPTRTKTR FVREGRNMTF HCGQKILHKK GKVYWKDQE PLEFSYPGYL  
ALGEARLSII ANAVNEGTYT CVVRHRQRVL TTY

**[ IDENTIFICATION ]**



**[ IMPORTANT NOTE ]**

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.