

RPD424Hu01 10µg

**Recombinant Myosin VA (MYO5A)** 

Organism Species: Homo sapiens (Human)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



# [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Ser1531~Val1855

Tags: N-terminal His Tag

**Subcellular Location:** Cytoplasm

**Purity:** > 95%

Traits: Freeze-dried powder

**Buffer formulation:** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .

Original Concentration: 2000µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.6

Predicted Molecular Mass: 40.9kDa

**Accurate Molecular Mass:** 41kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCE ]

```
SLLTSTINSI KKVLKKRGDD
FETVSFWLSN TCRFLHCLKQ YSGEEGFMKH NTSRQNEHCL TNFDLAEYRQ
VLSDLAIQIY QQLVRVLENI LQPMIVSGML EHETIQGVSG VKPTGLRKRT
SSIADEGTYT LDSILRQLNS FHSVMCQHGM DPELIKQVVK QMFYIIGAIT
LNNLLLRKDM CSWSKGMQIR YNVSQLEEWL RDKNLMNSGA KETLEPLIQA
AQLLQVKKKT DDDAEAICSM CNALTTAQIV KVLNLYTPVN EFEERVSVSF
IRTIQMRLRD RKDSPQLLMD AKHIFPVTFP FNPSSLALET IQIPASLGLG
FISRV
```

### [ IDENTIFICATION ]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.