

RPC775Mu01 50µg

**Recombinant Reelin (RELN)** 

Organism Species: Mus musculus (Mouse)

Instruction manual

FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

13th Edition (Revised in Aug, 2023)



## [PROPERTIES]

**Source:** Prokaryotic expression

Host: E.coli

Residues: Glu3143~Pro3459

Tags: N-terminal His Tag

Subcellular Location: Secreted, Extracellular matrix

**Purity:** > 97%

Traits: Freeze-dried powder

**Buffer formulation:** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% skl, 5%Trehalose.

Original Concentration: 350µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.9

Predicted Molecular Mass: 42.8kDa

**Accurate Molecular Mass:** 42kDa as determined by SDS-PAGE reducing conditions.

#### [USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### [ SEQUENCE ]

				EYTKDARS
DSWQLVQTQC	LPSSSNSIGC	SPFQFHEATI	YNAVNSSSWK	RITIQLPDHV
SSSATQFRWI	QKGEETEKQS	WAIDHVYIGE	ACPKLCSGHG	YCTTGAVCIC
DESFQGDDCS	VFSHELPSYI	KDNFESARVT	EANWETIQGG	VIGSGCGQLA
PYAHGDSLYF	NGCQIRQAAT	KPLDLTRASK	IMFVLQIGSP	AQTDSCNSDL
SGPHTVDKAV	LLQYSVNNGI	TWHVIAQHQP	KDFTQAQRVS	YNVPLEARMK
GVLLRWWQPR	HNGTGHDQWA	LDHVEVVLTR	KQNYMMNFSR	QHGLRHFYNR
RRRSLRRYP				

### [ IDENTIFICATION ]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

# [ IMPORTANT NOTE ]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.