

RPA367Mu01 200µg
Recombinant Retinol Binding Protein 3, Interstitial (RBP3)
Organism Species: Mus musculus (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)

[**PROPERTIES**]

Source: Prokaryotic expression.

Host: *E. coli*

Residues: Gly18~Leu320

Tags: N-terminal His-Tag

Subcellular Location: Secreted, extracellular space, extracellular matrix, interphotoreceptor matrix.

Purity: >98%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 1mM DTT, 5% trehalose, 0.01% sarcosyl and Proclin300.

Original Concentration: 200ug/mL

Applications: SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.4

Predicted Molecular Mass: 34.2kDa

Accurate Molecular Mass: 34kDa as determined by SDS-PAGE reducing conditions.

[**USAGE**]

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[**STORAGE AND STABILITY**]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

```
                GPT HLFQPSLVLD MAKILLDNYC FPENLMGMQA
AIEQAMKSHE  ILGISDPQTL AQVLTAGVQS  SLSDPRLFIS YEPSTLEAPQ
QAPVLTNLTR  EELLAQIQRN  IRHEVLEGNV GYLRVDDLPG QEVLSELGEF
LVSHVWRQLM  GTSSLVLDLR  HCSGGHFSGI PYVISYLHPG NTVMHVDTVY
DRPSNTTTEI  WTLPEVLGER  YSADKDVVVL TSGHTGGVAE DIAYILKQMR
RAIVVGERTE  GGALDLQKLR  IGQSNFFLTV  PVSRSLGPLG GGGQTWEGSG
VLPCVGTPAE  QALEKALAIL
```

[IDENTIFICATION]




Figure 1. SDS-PAGE